



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/774,809	02/09/2004	Peter Fornell	1005-7-01 USP	9245
42698 7590 07/31/2007 FARSHAD JASON FARHADIAN CENTURY IP LAW GROUP P.O. BOX 7333 NEWPORT BEACH, CA 92658-7333			EXAMINER KARIKARI, KWASI	
			ART UNIT 2617	PAPER NUMBER
			MAIL DATE 07/31/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/774,809	FORNELL, PETER	
	Examiner	Art Unit	
	Kwasi Karikari	2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 June 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 06/05/2007 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 5-7 and 11-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Oshima (U.S. 6,463,300), (hereinafter Oshima).

Regarding **claims 1 and 17**, Oshima discloses a method of transparently configuring a mobile device in a mobile communications network with the mobile device's module respective configuration data (=SIM card stores an IMSI number and a PIN number; and

Art Unit: 2617

the CPU collates a PIN number stored in the SIM card with a secret number inputted by a user of the mobile station 10, see col. 7, lines 25-30) the method comprising:

determining whether a first identity module coupled to a mobile device is different from a second identity module previously coupled to the mobile device (= mobile station 10 identifies whether or not the inserted SIM card 26 is equal to the previously inserted SIM card 26, see col. 7, lines 35-37 and Fig. 6; whereby the Sim card 26 is being associated with the "first identity module" and the previous Sim card is also being associated with the "second identity module");

searching entries in a data structure for first configuration data (= IMSI, PIN and telephone number a short dial data; and controller obtain data from the inserted card and make judgment, see col.6, lines 35-48; and col. 7, lines 25-35) associated with the first identity module (= various data storing in the SIM card 26 that are stored in the memory section 25 of the mobile station 10, is use to compare with the obtained data so as to judge whether the obtained data is the same as previously stored data in the mobile station 10, see col. 6, lines 28-41); and

configuring the mobile device to use the first configuration data, when said first configuration data is present in an entry of the data structure (= when the controller 21 recognizes that the detachable SIM card is not exchanged, the mobile station 10 could connect to the network after going through steps 11-14, see col. 9, lines 54-59 and col. 10, lines 31-46),

wherein the data structure (memory section 25, see Fig. 2) has plurality of entries that comprise data for respective plurality of identity modules that can be

Art Unit: 2617

coupled to the mobile device (= network access depends on whether an IC card attached to the mobile terminal differ from a previously inserted card, see col. 3, lines 29-36 and storing section 252 stores address and corresponding data, the controller reads data from the storing section to determine whether SIM card 26 has been exchanged from the mobile terminal, see col. 7, lines 35-62), which inherently suggest the mobile terminal could store plurality of IC cards data for subsequent data comparison; and

wherein the configuration data comprises network access information needed to allow the mobile device operate in the mobile communications network using the first identity module without need for externally programming the mobile device with the network access information (= Sim card 26 stores an International Mobile Subscriber Identity, IMSI; see col. 7, lines 25-35; i.e. the IMSI is an identity for GSM and UMTS networks. Furthermore, the mobile station access the communication service network when data stored on the Sim card is equal to data stored in the memory section of the mobile phone, see col. 6, lines 21-55).

Regarding **claims 2 and 18**, Oshima discloses the method of claims 1 and 17, further comprising:

prompting entry of the first configuration data, when the first configuration data is not present in an entry of the data structure (= controller requests a user to input a secret number if the inserted SIM card 26 is different from the previously inserted SIM card 26, see col. 6, lines 42-48).

Art Unit: 2617

Regarding **claims 3 and 19**, Oshima discloses the method of claims 2 and 18, further comprising:

storing the first configuration data in a first entry in the data structure, in response to receiving said first configuration data (= data and at least one pair of address are stored in the sim card 26, see col. 6, lines 21-41).

Regarding **claims 5 and 20**, Oshima discloses the method of claims 1 and 17, wherein the data structure is stored in a memory module (= SIM card 26 stores IMSI number, a PIN number, a telephone of a subscriber, and a short dial data registered by user, see col. 7, lines 25-30).

Regarding **claim 6**, Oshima discloses the method of claim 1, wherein the data structure is stored in the mobile device (= various data stored on sim card are store in the memory section 25 of the mobile station 10, see, col. 6, lines 21-41).

Regarding **claim 7**, as recited in claim 1, Oshima discloses that the data structure is stored in a communications network component accessible by the mobile device (see, col. 6, lines 21-41).

Regarding **claim 11**, Oshima discloses a method of transparently configuring a mobile device coupled to a new identity module with the mobile device's module respective configuration data (=SIM card stores an IMSI number and a PIN number; and the CPU

Art Unit: 2617

collates a PIN number stored in the SIM card with a secret number inputted by a user of the mobile station 10, see col. 7, lines 25-30) , the method comprising:

detecting a new identity module coupled to the mobile device after the first identity module (= mobile station 10 identifies whether or not the inserted SIM card 26 is equal to the previously inserted SIM card 26, see col. 7, lines 35-37 and Fig. 6; whereby the Sim card 26 is being associated with the "first identity module" and the previous Sim card is also being associated with the "second identity module");

searching a first entry in a data structure (= IMSI, PIN and telephone number a short dial data, and controller obtain data from the inserted card and make judgment, see col.6, lines 35-48; and col. 7, lines 25-35) for network access information associated with the new identity module (see Fig. 4A, steps S01-03 and col. 6, lines 21-51); and

configuring the mobile device according to the network access information in the first entry to allow the mobile device to operate in a mobile communications network using the new identity module without need for externally programming the mobile device with the network access information (= Sim card 26 stores an International Mobile Subscriber Identity, IMSI; see col. 7, lines 25-35; i.e. the IMSI is an identity for GSM and UMTS networks. Furthermore, the mobile station access the communication service network when data stored on the Sim card is equal to data stored in the memory section of the mobile phone, see col. 6, lines 21-55).

Art Unit: 2617

Regarding **claim 12**, as cited in claim 11, Oshima discloses the method, wherein the data structure accommodates multiple entries for storing multiple network access information corresponding to multiple identity modules configured for coupling with the mobile device (see col. 6, lines 21-55).

Regarding **claim 13**, as recited in claim 11, Oshima discloses that detecting comprises: identifying the new identity module based on a second unique value embedded in the second identity module; and comparing said second unique value with a first unique value embedded in the first mobile identity module to detect if said first and new unique values match (= inserted Sim card 26 and comparing, see col. 6, lines 21-55).

Regarding **claim 14**, Okkonen further teaches the method of claim 13, further comprising: determining that the new identity module is other than the first identity module, when the first and second unique values do not match (= inserted Sim card 26 and comparing secret number, see col. 6, lines 21-55).

Regarding **claims 15 and 16**, Oshima discloses the method of claim 13, wherein the second unique value is a serial number and a network ID associated with the new identity module (= Sim card 26 stores an International Mobile Subscriber Identity, IMSI; see col. 7, lines 25-35; i.e. the IMSI is an identity for GSM and UMTS networks

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 4 and 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oshima in view of Lee (U.S. 20040195313 A1), (hereinafter Lee).

Regarding **claim 4**, as recited in claim 3, Oshima fails to teach storing a reference to the first identity module in a second entry in the data structure, wherein the first entry is associated with the second entry, such that when the first identity module is recoupled to the mobile device after being removed, the reference in the second entry is used to access the first configuration data stored in the first entry.

Lee teaches storing a reference (= newly system network set-up information, see Par [0011]) to the first identity module in a second entry in the data structure, wherein the first entry is associated with the second entry, such that when the first identity module is recoupled to the mobile device after being removed, the reference in the

Art Unit: 2617

second entry is used to access the first configuration data stored in the first entry (newly system network set-up information, is received, stored, compared to the existing data and update the difference, see Par [0011] and Fig. 4).

It would therefore have been obvious to one of the ordinary skill in the art combine the teaching of Lee into the system of Oshima for the benefit of achieving a system whereby network set-up information for a mobile station could be obtained through a service provider.

Regarding **claim 8**, Oshima, as modified by Lee, further discloses the method the method of claim 4, wherein the data structure is in a table format with entries that associate at least one identity module with respective configuration data for said at least one identity module (see Fig 3 and col. 7, lines 35-45).

Regarding **claims 9 and 10**, as recited in claim 1, Oshima fails to teach that first configuration data comprises mobile communication network access point name (APN) and a wireless application protocol internet protocol.

Lee teaches the first configuration data comprises mobile communication network access point name (APN) and a wireless application protocol Internet protocol (WAP IP) address (network set-up information includes Wireless application Protocol (WAP) gateway address, and a WAP access point name, see Par. [0024] and Fig. 4).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Lee into the system of Oshima for the benefit of achieving a

Art Unit: 2617

system whereby network set-up information for a mobile station could be obtained through a service provider.

Conclusion

4. **Examiner's Note:** Examiner has cited particular columns and line numbers in the references applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kwasi Karikari whose telephone number is

571-272-8566. The examiner can normally be reached on M-F (8 am - 4pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, *Rafael Pérez-Gutiérrez* can be reached on 571-272-7915. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8566. Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Art Unit: 2617

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kwasi Karikari
Patent Examiner.
07/17/2007


RAFAEL PEREZ-GUTIERREZ
SUPERVISORY PATENT EXAMINER

7/20/07